

**Table 1.41A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	26,125 <sup>b</sup>	28,317	3,483 <sup>b</sup>	4,597	971 <sup>b</sup>	1,264
<b>AGE</b>						
12-17	1,347	1,354	908	952	270	285
18-25	5,592 <sup>b</sup>	6,511	1,959 <sup>b</sup>	2,733	532 <sup>b</sup>	803
26 or Older	19,186	20,453	616 <sup>a</sup>	912	169	176
<b>GENDER</b>						
Male	15,506	16,642	2,138 <sup>b</sup>	2,828	584 <sup>b</sup>	805
Female	10,619 <sup>a</sup>	11,675	1,345 <sup>b</sup>	1,768	387	460
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	24,491 <sup>b</sup>	26,316	3,194 <sup>b</sup>	4,192	892 <sup>b</sup>	1,142
White Only	22,334 <sup>b</sup>	24,041	2,880 <sup>b</sup>	3,712	804 <sup>a</sup>	999
Black Only	1,281	1,301	144 <sup>a</sup>	223	45	76
American Indian or Alaska Native Only	265	231	38	41	7	3
Native Hawaiian or Other Pacific Islander	45	66	7	12	4	0
Asian Only	223	325	68 <sup>b</sup>	147	18 <sup>a</sup>	48
More Than One Race	343	352	58	56	15	18
Hispanic	1,634 <sup>a</sup>	2,001	289 <sup>a</sup>	405	79	122

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.41B Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	11.7 <sup>b</sup>	12.5	1.6 <sup>b</sup>	2.0	0.4 <sup>b</sup>	0.6
<b>AGE</b>						
12-17	5.8	5.7	3.9	4.0	1.2	1.2
18-25	19.3 <sup>b</sup>	22.1	6.8 <sup>b</sup>	9.3	1.8 <sup>b</sup>	2.7
26 or Older	11.2	11.9	0.4 <sup>a</sup>	0.5	0.1	0.1
<b>GENDER</b>						
Male	14.4	15.3	2.0 <sup>b</sup>	2.6	0.5 <sup>a</sup>	0.7
Female	9.2 <sup>a</sup>	10.0	1.2 <sup>b</sup>	1.5	0.3	0.4
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	12.3 <sup>a</sup>	13.1	1.6 <sup>b</sup>	2.1	0.4 <sup>b</sup>	0.6
White Only	13.7 <sup>a</sup>	14.7	1.8 <sup>b</sup>	2.3	0.5 <sup>a</sup>	0.6
Black Only	5.0	5.1	0.6 <sup>a</sup>	0.9	0.2	0.3
American Indian or Alaska Native Only	24.3	19.9	3.4	3.5	0.7	0.2
Native Hawaiian or Other Pacific Islander	8.2	10.1	1.2	1.8	0.8	0.1
Asian Only	2.9	4.1	0.9 <sup>b</sup>	1.9	0.2	0.6
More Than One Race	18.4	18.5	3.1	3.0	0.8	0.9
Hispanic	6.9	8.1	1.2 <sup>a</sup>	1.6	0.3	0.5

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.42A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	1,347	1,354	908	952	270	285
<b>GENDER</b>						
Male	712	679	477	468	145	156
Female	636	674	431	484	125	129
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	1,184	1,212	811	862	245	261
White Only	1,053	1,049	718	751	213	227
Black Only	53	58	35	44	14	11
American Indian or Alaska Native Only	18	*	11	9	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	34	44	29	37	12	16
More Than One Race	25	35	17	19	3	7
Hispanic	163	142	97	90	25	25
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male - White	557	517	375	369	118	130
Female - White	497	532	344	383	95	97
Male - Black	27	39	22	27	7	6
Female - Black	26	19	13	17	7	5
Male - Hispanic	91	71	54	40	10	7
Female - Hispanic	72	71	43	51	16	18

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.42B Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	5.8	5.7	3.9	4.0	1.2	1.2
<b>GENDER</b>						
Male	6.0	5.6	4.0	3.9	1.2	1.3
Female	5.6	5.9	3.8	4.2	1.1	1.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	5.9	6.0	4.0	4.3	1.2	1.3
White Only	6.9	6.8	4.7	4.9	1.4	1.5
Black Only	1.6	1.7	1.1	1.3	0.4	0.3
American Indian or Alaska Native Only	12.4	*	7.4	5.1	*	0.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	4.1	5.2	3.4	4.4	1.4	1.9
More Than One Race	6.9	8.8	4.7	4.9	0.7	1.7
Hispanic	4.9	4.1	2.9	2.6	0.8	0.7
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male - White	7.1	6.6	4.8	4.7	1.5	1.7
Female - White	6.7	7.1	4.6	5.1	1.3	1.3
Male - Black	1.6	2.3	1.3	1.5	0.4	0.4
Female - Black	1.6	1.2	0.8	1.0	0.4	0.3
Male - Hispanic	5.3	4.0	3.2	2.2	0.6	0.4
Female - Hispanic	4.5	4.3	2.7	3.0	1.0	1.1

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.43A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	5,592 <sup>b</sup>	6,511	1,959 <sup>b</sup>	2,733	532 <sup>b</sup>	803
<b>GENDER</b>						
Male	3,238 <sup>b</sup>	3,698	1,189 <sup>b</sup>	1,690	332 <sup>b</sup>	545
Female	2,355 <sup>b</sup>	2,813	770 <sup>b</sup>	1,043	200	257
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	5,071 <sup>b</sup>	5,843	1,800 <sup>b</sup>	2,507	497 <sup>b</sup>	731
White Only	4,623 <sup>b</sup>	5,217	1,610 <sup>b</sup>	2,201	446 <sup>b</sup>	623
Black Only	200 <sup>a</sup>	284	98 <sup>a</sup>	158	28 <sup>a</sup>	64
American Indian or Alaska Native Only	50	47	18	12	1	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	83 <sup>b</sup>	161	31 <sup>b</sup>	91	5 <sup>a</sup>	31
More Than One Race	91	114	37	36	12	10
Hispanic	521 <sup>a</sup>	668	159 <sup>a</sup>	226	35 <sup>a</sup>	72
<b>ADULT EDUCATION</b>						
< High School	1,145 <sup>a</sup>	1,332	433 <sup>b</sup>	566	113 <sup>b</sup>	198
High School Graduate	1,996 <sup>a</sup>	2,241	676 <sup>b</sup>	922	194 <sup>a</sup>	274
Some College	1,861 <sup>b</sup>	2,177	683 <sup>b</sup>	940	192	257
College Graduate	591 <sup>b</sup>	761	166 <sup>b</sup>	305	32 <sup>a</sup>	74
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	3,128 <sup>a</sup>	3,443	947 <sup>b</sup>	1,280	242 <sup>b</sup>	355
Part-Time	1,274 <sup>b</sup>	1,543	523 <sup>b</sup>	746	137 <sup>b</sup>	229
Unemployed	351 <sup>b</sup>	471	155 <sup>b</sup>	250	55	85
Other <sup>2</sup>	840 <sup>b</sup>	1,054	333 <sup>b</sup>	458	99	133

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.43B Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	19.3 <sup>b</sup>	22.1	6.8 <sup>b</sup>	9.3	1.8 <sup>b</sup>	2.7
<b>GENDER</b>						
Male	22.5 <sup>b</sup>	25.2	8.2 <sup>b</sup>	11.5	2.3 <sup>b</sup>	3.7
Female	16.2 <sup>b</sup>	19.0	5.3 <sup>b</sup>	7.0	1.4	1.7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	20.6 <sup>b</sup>	23.4	7.3 <sup>b</sup>	10.0	2.0 <sup>b</sup>	2.9
White Only	24.2 <sup>b</sup>	26.9	8.4 <sup>b</sup>	11.4	2.3 <sup>b</sup>	3.2
Black Only	5.1 <sup>a</sup>	7.2	2.5 <sup>a</sup>	4.0	0.7 <sup>a</sup>	1.6
American Indian or Alaska Native Only	28.3	27.1	10.4	6.9	0.7	1.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	8.3 <sup>b</sup>	14.8	3.1 <sup>b</sup>	8.4	0.5 <sup>a</sup>	2.9
More Than One Race	30.3	33.2	12.2	10.5	4.1	2.9
Hispanic	12.0 <sup>a</sup>	14.9	3.7	5.0	0.8 <sup>a</sup>	1.6
<b>ADULT EDUCATION</b>						
< High School	18.7 <sup>b</sup>	22.7	7.1 <sup>b</sup>	9.7	1.9 <sup>b</sup>	3.4
High School Graduate	19.2 <sup>b</sup>	21.3	6.5 <sup>b</sup>	8.8	1.9 <sup>a</sup>	2.6
Some College	20.5 <sup>a</sup>	22.9	7.5 <sup>b</sup>	9.9	2.1	2.7
College Graduate	17.3 <sup>b</sup>	21.2	4.9 <sup>b</sup>	8.5	0.9 <sup>a</sup>	2.1
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	20.6 <sup>b</sup>	23.1	6.2 <sup>b</sup>	8.6	1.6 <sup>b</sup>	2.4
Part-Time	19.2 <sup>a</sup>	21.7	7.9 <sup>b</sup>	10.5	2.1 <sup>b</sup>	3.2
Unemployed	25.8	26.0	11.4	13.8	4.0	4.7
Other <sup>2</sup>	14.5 <sup>b</sup>	18.6	5.8 <sup>b</sup>	8.1	1.7	2.4

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.44A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	19,186	20,453	616 <sup>a</sup>	912	169	176
<b>GENDER</b>						
Male	11,557	12,265	472	671	107	103
Female	7,629	8,188	144	241	62	73
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	18,235	19,261	583 <sup>a</sup>	822	151	151
White Only	16,658	17,775	552	761	144	149
Black Only	1,028	959	11	21	3	1
American Indian or Alaska Native Only	*	163	9	20	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	106	120	8	19	1	1
More Than One Race	*	203	4	1	*	1
Hispanic	950	1,191	33	89	18	25
<b>ADULT EDUCATION</b>						
< High School	2,046	2,189	35	54	8	15
High School Graduate	5,764	5,993	128 <sup>a</sup>	286	24	41
Some College	5,592	5,749	178	228	66	36
College Graduate	5,783 <sup>a</sup>	6,522	274	343	71	85
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	14,501	14,881	451 <sup>a</sup>	739	101	127
Part-Time	1,748 <sup>b</sup>	2,292	74	54	19	32
Unemployed	595	667	42	69	18	7
Other <sup>2</sup>	2,342	2,613	48	50	31	10

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.44B Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	11.2	11.9	0.4 <sup>a</sup>	0.5	0.1	0.1
<b>GENDER</b>						
Male	14.3	15.0	0.6	0.8	0.1	0.1
Female	8.5	9.0	0.2	0.3	0.1	0.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	11.8	12.4	0.4 <sup>a</sup>	0.5	0.1	0.1
White Only	13.0	13.8	0.4	0.6	0.1	0.1
Black Only	5.7	5.3	0.1	0.1	0.0	0.0
American Indian or Alaska Native Only	*	20.0	1.1	2.5	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	1.8	2.0	0.1	0.3	0.0	0.0
More Than One Race	*	17.4	0.3	0.1	*	0.1
Hispanic	5.9	7.1	0.2	0.5	0.1	0.1
<b>ADULT EDUCATION</b>						
< High School	7.0	7.7	0.1	0.2	0.0	0.1
High School Graduate	10.2	10.9	0.2 <sup>a</sup>	0.5	0.0	0.1
Some College	14.3	14.1	0.5	0.6	0.2	0.1
College Graduate	12.7	13.5	0.6	0.7	0.2	0.2
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	14.4	14.9	0.4 <sup>a</sup>	0.7	0.1	0.1
Part-Time	10.3 <sup>a</sup>	12.8	0.4	0.3	0.1	0.2
Unemployed	23.8	18.8	1.7	2.0	0.7	0.2
Other <sup>2</sup>	4.6	5.1	0.1	0.1	0.1	0.0

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.45A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	24,778 <sup>b</sup>	26,963	2,575 <sup>b</sup>	3,645	701 <sup>b</sup>	979
<b>GENDER</b>						
Male	14,794 <sup>a</sup>	15,963	1,661 <sup>b</sup>	2,360	439 <sup>b</sup>	649
Female	9,983 <sup>a</sup>	11,001	914 <sup>b</sup>	1,284	262	330
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	23,307 <sup>b</sup>	25,105	2,383 <sup>b</sup>	3,330	648 <sup>b</sup>	882
White Only	21,281 <sup>b</sup>	22,992	2,162 <sup>b</sup>	2,961	590 <sup>a</sup>	772
Black Only	1,228	1,243	108 <sup>a</sup>	179	31 <sup>a</sup>	65
American Indian or Alaska Native Only	247	210	27	32	5	2
Native Hawaiian or Other Pacific Islander	44	62	6	10	*	*
Asian Only	189	281	39 <sup>b</sup>	110	5 <sup>a</sup>	32
More Than One Race	318	317	41	37	12	11
Hispanic	1,471 <sup>a</sup>	1,859	192 <sup>a</sup>	315	53	97
<b>ADULT EDUCATION</b>						
< High School	3,191	3,521	469 <sup>b</sup>	621	121 <sup>b</sup>	213
High School Graduate	7,760	8,234	804 <sup>b</sup>	1,208	218 <sup>a</sup>	314
Some College	7,453	7,926	861 <sup>b</sup>	1,168	258	293
College Graduate	6,374 <sup>a</sup>	7,282	440	648	104	159
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	17,629	18,324	1,399 <sup>b</sup>	2,018	343 <sup>a</sup>	482
Part-Time	3,021 <sup>b</sup>	3,835	597 <sup>b</sup>	800	156 <sup>b</sup>	261
Unemployed	946	1,138	197 <sup>b</sup>	319	72	92
Other <sup>2</sup>	3,182	3,667	382 <sup>a</sup>	507	130	144

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 1.45B Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	12.4 <sup>b</sup>	13.3	1.3 <sup>b</sup>	1.8	0.4 <sup>b</sup>	0.5
<b>GENDER</b>						
Male	15.5	16.5	1.7 <sup>b</sup>	2.4	0.5 <sup>a</sup>	0.7
Female	9.6 <sup>a</sup>	10.4	0.9 <sup>b</sup>	1.2	0.3	0.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	13.0 <sup>a</sup>	13.9	1.3 <sup>b</sup>	1.8	0.4 <sup>b</sup>	0.5
White Only	14.4 <sup>b</sup>	15.5	1.5 <sup>b</sup>	2.0	0.4 <sup>a</sup>	0.5
Black Only	5.6	5.6	0.5 <sup>a</sup>	0.8	0.1 <sup>a</sup>	0.3
American Indian or Alaska Native Only	26.1	21.3	2.8	3.3	0.5	0.2
Native Hawaiian or Other Pacific Islander	9.1	10.4	1.2	1.7	*	*
Asian Only	2.8	4.0	0.6 <sup>b</sup>	1.6	0.1 <sup>a</sup>	0.5
More Than One Race	21.3	21.0	2.7	2.5	0.8	0.7
Hispanic	7.2	8.8	0.9 <sup>a</sup>	1.5	0.3	0.5
<b>ADULT EDUCATION</b>						
< High School	9.0	10.2	1.3 <sup>b</sup>	1.8	0.3 <sup>b</sup>	0.6
High School Graduate	11.6	12.6	1.2 <sup>b</sup>	1.8	0.3 <sup>a</sup>	0.5
Some College	15.4	15.8	1.8 <sup>b</sup>	2.3	0.5	0.6
College Graduate	13.0	14.0	0.9	1.3	0.2	0.3
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	15.2	16.0	1.2 <sup>b</sup>	1.8	0.3 <sup>a</sup>	0.4
Part-Time	12.8 <sup>b</sup>	15.3	2.5 <sup>a</sup>	3.2	0.7 <sup>b</sup>	1.0
Unemployed	24.5	21.2	5.1	5.9	1.9	1.7
Other <sup>2</sup>	5.6	6.4	0.7 <sup>a</sup>	0.9	0.2	0.3

\*Low precision; no estimate reported.

NOTE: Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.